



**Isotype of *Opuntia ganderi* C.B. Wolf [family
CACTACEAE]**

<http://plants.jstor.org/specimen/bcmex00012>

<http://www.jstor.org>

Your use of the JSTOR archive indicates your acceptance of JSTOR's Terms and Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>. JSTOR's Terms and Conditions of Use provides, in part, that unless you have obtained prior permission, you may not download an entire issue of a journal or multiple copies of articles, and you may use content in the JSTOR archive only for your personal, non-commercial use.

Please contact the contributing partner regarding any further use of this work. Partner contact information may be obtained at <http://plants.jstor.org/page/about/plants/PlantsProject.jsp>.

Each copy of any part of a JSTOR transmission must contain the same copyright notice that appears on the screen or printed page of such transmission.

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact plants@jstor.org.

Isotype of *Opuntia ganderi* C.B. Wolf [family CACTACEAE]

Herbarium

Collection	Type Specimens
Resource Type	Specimens
Collector	Jon P. Rebman & Chris Davies, #1723
Collection date	1993/4/23
Locality	29°47'N. 114°46'W.; Approx. 2 miles north of Catavina and 3 miles south of the road to San Jose Faro along the side of Hwy 1.
Country	Mexico (Mexico)
Identifications	Isotype of <i>Opuntia ganderi</i> C.B. Wolf [family CACTACEAE] (stored under name); Verified by Jon P. Rebman
Notes	Granite boulder fields with <i>Pachycereus</i> , <i>Boojum</i> , <i>Pachycormus</i> , <i>Opuntia molesta</i> , <i>O. cholla</i> & <i>Euphorbia</i> .
Pages	1
Data last modified	2010-12-29


<http://plants.jstor.org/specimen/bcmex00012>



Universidad Autónoma de Baja California
Baja California, México C.B.C.B. 2017
BCMEX00012

Capturado en Bases de Datos

UABC
Facultad de Ciencias
HERBARIO BCMEX
plantas vasculares



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved



Opuntia Lectotype of
J. Rebbman & D. J. Pinkava
var. *catavinaensis* J. Rebbman
Det. Jon P. Rebbman 1997
Herbarium of the University of California, Davis
From the Baja California Peninsula, Mexico
Arizona State University Herbarium - ASU

PLANTS OF MEXICO
Cactaceae Arizona State University 05854
Opuntia
State of Baja California: 114°46'W, 29°47'N
Approx. 2 miles north of Catavina and 3 miles south of the
road to San Jose Faro along the side of Hwy 1.
Granite boulder fields with *Pachycereus*, *Boojum*, *Pachycormus*
Opuntia molesta, *O. cholla*, & *Euphorbia*.
Perianth yellow with reddish outer tepals. Spine color is
variable in this population.
Jon P. Rebbman 1723 23 Apr. 1993
With Chris Davis