



**Isotype of *Opuntia californica* (Torr. & Gray) Cov.
var. *delgadilloana* Rebman [family CACTACEAE]**

<http://plants.jstor.org/specimen/bcmex00009>

<http://www.jstor.org>

Your use of the JSTOR archive indicates your acceptance of JSTOR's Terms and Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>. JSTOR's Terms and Conditions of Use provides, in part, that unless you have obtained prior permission, you may not download an entire issue of a journal or multiple copies of articles, and you may use content in the JSTOR archive only for your personal, non-commercial use.

Please contact the contributing partner regarding any further use of this work. Partner contact information may be obtained at <http://plants.jstor.org/page/about/plants/PlantsProject.jsp>.

Each copy of any part of a JSTOR transmission must contain the same copyright notice that appears on the screen or printed page of such transmission.

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact plants@jstor.org.

Isotype of *Opuntia californica* (Torr. & Gray) Cov. var. *delgadilloana* Rebman [family CACTACEAE]

Herbarium

Collection	Type Specimens
Resource Type	Specimens
Collector	Jon P. Rebman, #2566
Collection date	1994/4/9
Locality	31°03'N. 115°13'W.; San Felipe; approx. 0.5 miles west of the intersection of the road to Agua Caliente and the road to Laguna Diablo.
Country	Mexico (Mexico)
Collection altitude	605 meters
Identifications	Isotype of <i>Opuntia californica</i> (Torr. & Gray) Cov. var. <i>delgadilloana</i> Rebman [family CACTACEAE] (stored under name); Verified by Jon P. Rebman
Notes	Growing with Ocotillo, Jojoba, <i>Larrea tridentata</i> , <i>Krameria</i> , <i>Cercidium microphyllum</i> , <i>Echinocereus</i> , <i>Lophocereus schottii</i> , and <i>Opuntia bigelovii</i> .
Pages	1
Data last modified	2010-12-29

<http://plants.jstor.org/specimen/bcmex00009>



Isotype of
Opuntia californica (Torr. & Gray) Cov.
var. *delgadilloana* J. Rebman
Det. Jon P. Rebman 1998
Taxonomy of the subgenus *Cylindropuntia*
from the Baja California Peninsula, Mexico
Arizona State University Herbarium - ASU

Opuntia aff. *parryi* J. Rebman

CACTACEAE OF MEXICO
Estado de Baja California
Opuntia parryi Engelm. 007104
115° 13'W, 31° 03'N: San Felipe desert:
Approx. 0.5 miles west of the intersection
of the road to Agua Caliente and the road to
Laguna Diablo. Elevation 605 m. Growing with
Ocotillo, *Jojoba*, *Larrea tridentata*,
Krameria, *Cercidium microphyllum*,
Echinocereus, *Lophocereus schottii*, and
Opuntia bigelovii.
Perianth yellow-green; style yellow;
stigma yellow; filaments green; anthers
yellow. Chromosome $n = 11$.
Jon P. Rebman 2566 9 April 1994