

http://www.biodiversitylibrary.org/

Medical flora, or, Manual of the medical botany of the United States of North America ... /by C.S. Rafinesque.

Philadelphia: Atkinson & Damp; Alexander, 1828-1830. http://www.biodiversitylibrary.org/bibliography/524

Item: http://www.biodiversitylibrary.org/item/10237 Page(s): Page 247, Page 248

Contributed by: Missouri Botanical Garden, Peter H. Raven Library Sponsored by: Missouri Botanical Garden

Generated 2 August 2012 9:15 AM http://www.biodiversitylibrary.org/pdf4/011585800010237

This page intentionally left blank.

leaves and snuff destroy all kinds of insects, moths, ca-

terpillars, &c.

NYSSA, L. Tupelo, Peperidge, Sourgum, Blackgum. Six sp. of trees eq. Wood white, very soft when fresh, very light, tough and compact when dry, much used for bowls, implements, wheels, tubs, troughs, &c. Fruits bitter and acid. N. coccinea, Bartr. Ogeechce tree, Lime tree has a red acid fruit, size of a plumb, used like limes in the South.

OCYMUM BASILICUM, L. Sweet basil. Aromatic,

stimulant, cardiac, used in cookery. Cult.

ODOSTEMON, Raf. 1817. Mahonia, N. 1818. Moun-

tain holly. Purple acid berries. Eq. to Berberis.

OENOTHERA BIENNIS, L. Sundrop, Primrose tree, Scabish. Young roots edible boiled or pickled. Leaves vulnerary bruised and applied to wounds. Flowers fragrant and phosphorescent at night. Schoepf says the O. molissima, L. (leaves linear lanc. undul.) omitted by our authors, from N. Y. to Carolina in fields, is also vulnerary. The beautiful O.grandiflora is equally so, and perhaps all the sp.

OLEA EUROPEA, L. Olive tree. Cult. in S. Green fruit lixiviated and salted for food, ripe fruit dryed. Olives are tonic and stomachic, produce the best sweet oil, so useful for food and light. Deemed a panacea in Africa and Greece for wounds, sores, cholics, tenesmus, cough, rheumatism, hydrophobia and poison! Excellent for burns, lately found a prophylactic for the plague!

ONOPIX SERICEA, Raf. Fl. lud. Eaten like Cynara.

ONOPORDON, L. White Thistle. A sp. in Ohio. Edible like Cynara.

OPHIOGLOSSUM VULGARE, L. Snakeleaf. Emo-

i lient, used for ulcers and sores.

OPHIORHIZA MITREOLA, L. Pink Snakeroot. Equiv. of Spigelia and Aristolochia for worms and snake bites.

OPUNTIA, Tt. Dec. Prickly Pears. Many sp. all eq. blended under Cactus opuntia by our authors! distinguished by myself. O. humifusa, descr. 1820, and since O. mesacantha, O. cespitosa, O. maritima, (Elliot sp.) O. coccinea, &c. Fruits edible, small and acid in

our sp. but in O. coccinea size of a pear, of a livid purple, juice scarlet, acid and cool like Pomegranate, very diuretic, tinges urine of a bloody color, yet very wholesome. Young leaves eaten by negroes like Hibiscus, split leaves good emollient topic for acute rheumatism, baked for chronic ulcers, gout and wounds. The juice

and gum used for the gravel.

ORCHIS, L. Salep, Twinroot. All the sp. with tuberous twin roots become Salep by dessication, analeptic and pectoral. O. morio and mascula chiefly produce the Oriental Salep. All the fragrant sp. are stimulant and nervine, once deemed aphrodisiac. O. fragrans, Raf. 1817, of N. Y. is such. O. orbiculata and macrophylla, vulnerary leaves, called Healall. O. fimbriata roots vermifuge, powder used, kills worms by touching them, is similar to a fecula; smell like Cypripedium, taste like Ulmus fulva. Many sp. now removed to Habenaria.

ORIGANUM VULGARE, Linn. Wild Marjoram. Fragrant, pungent, acrid bitterish. Stomachic, corroborant, detergent, stimulant, menagogue, diaphoretic. Useful in tea for cough, asthma, chlorosis, oedema. Lotions and fumigations used in chronic rheumatism and palsy. Flowers and tops most grateful and efficient, they also dye purple. Dry leaves form a grateful tea. Fresh used for baths in uterine disorders. The distilled oil has all the properties, it is acrid and caustic, burns the skin, relieves toothache. O. majorana, or Sweet Marjoram, is eq. but milder, very grateful, used in cookery, cult.

ORNITHOGALUM L. Bethlehemstar. Root edible

emollient.

OROBANCHE AMERICANA, Linn. Broomrape, Earthclub, Clapwort. Astringent, antiseptic and antisyphilitic, deemed in the West a specific for gonorrhea and syphilis. Useful for obstinate ulcers, aphthose and herpetic sores, diarrhea and dysentery.

ORONTIUM AQUATICUM, L. Tawkin. Useful plant of the Indians now neglected. Seeds eaten like pease, acrid when fresh, make good bread and soups by coction. Fresh roots acrid, but good and edible roasted

or dried. Eq. of Arum?