



<http://www.biodiversitylibrary.org/>

**Enumeratio diagnostica cactearum hucusque cognitarum  
/auctore Ludovico Pfeiffer.**

Berolini : L. Oehmigke, 1837.

<http://www.biodiversitylibrary.org/bibliography/15207>

**Item:** <http://www.biodiversitylibrary.org/item/51983>

Article/Chapter Title: Opuntia

Author(s): Salm-Dyck

Subject(s): Opuntia orbiculata

Page(s): Page 156

Contributed by: Missouri Botanical Garden, Peter H. Raven Library

Sponsored by: Missouri Botanical Garden

Generated 12 January 2017 8:15 PM

<http://www.biodiversitylibrary.org/pdf4/060421200051983>

This page intentionally left blank.



Pa: Chile.

*O.* articulis erectis, ovato-oblongis, compressis, viridibus; areolis confertis pulvinato-convexis; aculeis biformibus e tomento griseo, superioribus setaceis, numerosis, aurantio-fulvidis, inferioribus 3 — 5 validis, acicularibus, stramineo-albidis, centrali aut infimo longiore, saepe deflexo.

Articuli 3 — 4 poll. longi, 1½ poll. lati, nitidi. Aculei 4 — 8 lin. longi. Folia brevia viridia.

36. *O. orbiculata* SALM.

*O. sericea* β. *longispina* Hort. Dyck. p. 363. — *Op. longispina* HORT.

Pa: Chile?

*O. erecta* subramosa; articulis orbicularibus (crassis perviridibus) (senioribus saepe elongatis); areolis regulariter plus minusve distantibus, setis brunneis penicillatim collectis et aculeis 4 — 5 inaequalibus, gracilibus, stramineis, basi fulvis, horizontaliter patentibus instructis.

Articuli 3 — 4 poll. diam., 6 lin. crassi. Aculei minores 3 — 6 lin., longissimi 1¼ poll. longi. Folia acuta viridia.

37. *O. puberula* H. VINDOB.

Pa: Mexico.

*O.* articulis obovatis crassis, viridibus, puberulis; areolis subremotis, vix convexis, macula rubra circumdatis, superne fasciculum setarum fulvarum brevissimarum, aculeosque 2 — 4 inaequales, graciles, albidos, divergentes gerentibus.

Articuli 3 — 5 poll. longi, 2 — 3 poll. lati. Aculei maximi 4 lin. longi. Folia bilinearia acuta, apice rubella.

\*\*\* Criniferae.

Areolis confertis, aculeos bifformes, rigidiusculos breves et longissimos setaceo-capillaceos gerentibus.

38. *O. leucotricha* DC.

Revue p. 119. — Hort. Dyck. p. 362.

Pa: Mexico.

*O.* articulis oblongis erectis, junioribus sub lente velutinis; areola juniore convexa velutina; aculeis bifformibus,