



<http://www.biodiversitylibrary.org/>

Synopsis plantarum succulentarum :cum descriptionibus, synonymis, locis, observationibus anglicanis, culturaque /auctore A.H. Haworth.

Londini : Typis R. Taylor et Socii, 1812.

<http://www.biodiversitylibrary.org/bibliography/9462>

Item: <http://www.biodiversitylibrary.org/item/38208>

Page(s): Page 191

Contributed by: Missouri Botanical Garden, Peter H. Raven Library

Sponsored by: Missouri Botanical Garden

Generated 3 August 2012 6:30 PM

<http://www.biodiversitylibrary.org/pdf4/011603200038208>

This page intentionally left blank.

O. (Oval upright) erecta, articulis ovato-ellip- *stricta.*
 ticis, spinis uniformibus numerosissimis bre- 7.
 vissimis.—*Cactus strictus. Nobis in misc. nat.* *
p. 188.—Cactus Opuntia inermis. Plant. grass.
cum icone.

HABITAT S. h.

FLORET

CULT. ante 1796.

Caudex erectus spinosus carnosus ramosus,
 demum lignosus. *Rami* articulati erecti. *Ar-*
ticuli virides carnosi spinosi, juniores foliosi.
Spinæ fasciculatæ vix lineares. *Folia* ut in pri-
 oribus. *Flores* non vidi.

*** PARVISPINOSÆ, OBLONGO-ARTICULATÆ,
articulis longioribus quam in præceden-
tibus, spinis fere uniformibus, brevibus
vel brevissimis, filiformibus vel subinde
setaceis.

O. (Great oblong) articulis ovato-oblongis *maxima.*
 crassissimis, spinis inæqualibus. *Mill. dict.* 8.
ed. 8. no. 5. Opuntia maxima folio spinoso la-
tissimo et longissimo. Tournef. inst. 240.

HABITAT in America meridionali. S. h.

FLORET

CULT. ante 1768.

OBS. Although Miller had this species ten feet
 high, it never produced its flowers with him.

O. (Indian-fig) articulis ovato-oblongis, spinis *Ficus-*
 setaceis. *Mill. dict. ed. 8. no. 2.—Cactus indica.*
Ficus-indica. Linn. sp. pl. p. 669.—Willd. 9.
sp. pl. 2. p. 914.—Hort. kew. ed. 2. v. 3.
p. 179.

HABITAT in America meridionali. S. h.

FLORET Jul. Aug.

CULT. 1731.